

Safety Data Sheet

Issue Date: 1st Jan 2018

PRODUCT NAME: **Ex-Still Brandy - Heavy (≤ 80%)**

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product name: EX-STILL BRANDY HEAVY (≤ 80%)
Chemical Name: ethanol
Synonyms: Brandy Wine – Light, Brandy Wine Heavy, Brandy Wine Matured,
Proper shipping name: ETHANOL (ETHYL ALCOHOL)
Chemical formula: C₂H₆O
CAS number: 64-17-5
Product Code: BWH-00
Use(s): Food and Beverage Industries, alcoholic beverages in suitable dilution;

Supplier of the Safety Data Sheet

Supplier Name: TARAC TECHNOLOGIES PTY LTD
Address: Barossa Valley Way, PO Box 78, Nuriootpa, SA, AUSTRALIA, 5355
Telephone: 08) 8568 6500
Fax: 08) 8562 2031
Emergency: 1800 606 911
Email: info@tarac.com.au
Web Site: http://www.tarac.com.au

2. HAZARDS IDENTIFICATION

CLASSIFIED AS HAZARDOUS ACCORDING TO NOHSC CRITERIA

CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE

UN No.	1170	DG Class	3	Subsidiary Risk(s)	None Allocated
Pkg Group	II	Hazchem Code	2[Y]E	EPG	3A1

GHS Classification Flammable liquids (Category 3)
Eye irritation (Category 2A)



Flammable



Health hazards

Signal Word DANGER

Hazard statements H225 - Highly flammable liquid and vapour.
H319 - Causes serious eye irritation

Precautionary Statements

Prevention P210 - Keep away from heat/sparks/open flames/hot surfaces.– No smoking.
P233 - Keep container tightly closed.
P240 - Ground/Bond container and receiving equipment
P241 - Use explosion-proof electrical/ventilating/ lighting/.../equipment.
P242 - Use only non-sparking tools.

P243 - Take precautionary measures against static discharge.
 P261 - Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
 P264 - Wash skin thoroughly after handling.
 P270 - Do not eat, drink or smoke when using this product.
 P271 - Use only outdoors or in a well-ventilated area.
 P280 - Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response	P301 + P312	IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell
	P303 + P361 + P353	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
	P304 + P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
	P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P337 + P313	If eye irritation persists: Get medical advice/attention.
	P370 + P378	In case of fire: Use extinguishing media detailed in Section 5 for extinction.
Storage	P403 + P235 - Store in a well-ventilated place. Keep cool	
Disposal	P501 - Dispose of contents/container to hazardous or special waste collection point	

3. COMPOSITION / INFORMATION ON INGREDIENTS

Ingredient	Formula	CAS No.	Content
ETHANOL	C2-H6-O	64-17-5	≤ 80%
WATER	H2O	7732-18-5	≥ 20%

4. FIRST AID MEASURES

Description of first aid measures

Eye Contact	<p>If this product comes in contact with the eyes:</p> <ul style="list-style-type: none"> Wash out immediately with fresh running water Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. Seek medical attention without delay; if pain persists or recurs seek medical attention. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	<p>If skin contact occurs</p> <ul style="list-style-type: none"> Immediately remove all contaminated clothing, including footwear Flush skin and hair with running water (and soap if available) Seek medical attention in event of irritation
Inhalation	<ul style="list-style-type: none"> If fumes or combustion products are inhaled remove from contaminated area Lay patient down. Keep warm and rested Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained. Perform CPR if necessary. Transport to hospital, or doctor.
Ingestion	<ul style="list-style-type: none"> If swallowed do NOT induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration. Observe the patient carefully Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink Seek medical advice.

5. FIRE FIGHTING MEASURES

Extinguishing media	<ul style="list-style-type: none"> Alcohol stable foam. Dry chemical powder. BCF (where regulations permit). Carbon dioxide. Water spray or fog - Large fires only
Flammability	<ul style="list-style-type: none"> Highly flammable. May evolve toxic gases (carbon oxides, hydrocarbons) when heated to decomposition. Do not expose to heat or ignition sources. Eliminate all ignition sources including cigarettes, open flames, spark producing switches/tools, heaters, naked lights, pilot lights, mobile phones etc. Earth containers when dispensing fluids
Fire Fighting	<ul style="list-style-type: none"> Highly flammable - explosive vapour. Evacuate area & contact emergency services. Toxic gases (carbon oxides, hydrocarbons) may be evolved when heated. Remain upwind and notify those downwind of hazard. Wear full protective equipment including Self Contained Breathing Apparatus (SCBA) when combating fire. Use waterfog to cool intact containers and nearby storage areas
Hazchem Code	<ul style="list-style-type: none"> ●2[Y]E

6. ACCIDENTAL RELEASE MEASURES

Minor Spills	<ul style="list-style-type: none"> Remove all ignition sources. Clean up all spills immediately. Avoid breathing vapours and contact with skin and eyes. Control personal contact with the substance, by using protective equipment. Contain and absorb small quantities with vermiculite or other absorbent material. Wipe up. Collect residues in a flammable waste container
Major Spills	<ul style="list-style-type: none"> Clear area of personnel and move upwind. Alert Fire Brigade and tell them location and nature of hazard. May be violently or explosively reactive. Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or water course. Consider evacuation (or protect in place). No smoking, naked lights or ignition sources

7. STORAGE AND HANDLING

Storage

Suitable container	<ul style="list-style-type: none"> Plastic containers may only be used if approved for flammable liquid. Check that containers are clearly labelled and free from leaks. Where combination packages are used, and the inner packages are of glass, there must be sufficient inert cushioning material in contact with inner and outer packages 		
Storage compatibility	DG Class	DG Desc	Compatibility
	2.1	Flammable Gas	5 mtr separation
	2.2	Non-flammable, Non-toxic Gas	5 mtr separation
	2.3	Toxic Gas	5 mtr separation
	3	Flammable Liquid	✓
	4.1	Flammable Solid	5 mtr separation
	4.2	Spontaneously Combustible	fire rated partition
	4.3	Dangerous when Wet	separate bldg
	5.1	Oxidizing Agent	5 mtr separation
	5.2	Organic Peroxide	fire rated partition
6.1	Toxic	5 mtr separation	
8	Corrosive	✓	

	9	Miscellaneous Dangerous goods	✓
--	---	-------------------------------	---

Handling

Safe handling	<ul style="list-style-type: none"> • Containers, even those that have been emptied, may contain explosive vapours. • Do NOT cut, drill, grind, weld or perform similar operations on or near containers. • DO NOT allow clothing wet with material to stay in contact with skin • Avoid all personal contact, including inhalation. • Wear protective clothing when risk of exposure occurs. • Use in a well-ventilated area. • Prevent concentration in hollows and sumps. • DO NOT enter confined spaces until atmosphere has been checked. • Avoid smoking, naked lights, heat or ignition sources. • When handling, DO NOT eat, drink or smoke
Other information	<ul style="list-style-type: none"> • Store in original containers in approved flame-proof area. • No smoking, naked lights, heat or ignition sources. • DO NOT store in pits, depressions, basements or areas where vapours may be trapped. • Keep containers securely sealed. • Store away from incompatible materials in a cool, dry well ventilated area. • Protect containers against physical damage and check regularly for leaks. • Observe manufacturer's storage and handling recommendations contained within this SDS

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Occupational Exposure Limits

Exposure Standards	<ul style="list-style-type: none"> • ETHANOL (64-17-5) • ES-TWA: 1000 ppm (1880 mg/m³) • WES-TWA: 1000 ppm (1880 mg/m³)
---------------------------	--

Exposure Controls

Engineering Controls	<ul style="list-style-type: none"> • Ensure adequate natural ventilation. • Flammable/explosive vapours may accumulate in poorly ventilated areas. • Vapours are heavier than air and may travel some distance to an ignition source and flash back.
-----------------------------	---

Personal Protection

Eye and face protection	<ul style="list-style-type: none"> • Safety glasses with side shields. • Chemical goggles. • Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. • In the event of chemical exposure, begin eye irrigation immediately and remove contact lens as soon as practicable
Skin protection	<ul style="list-style-type: none"> • See Hand protection below
Hands/feet protection	<ul style="list-style-type: none"> • Wear chemical protective gloves, e.g. PVC. • Wear safety footwear or safety gumboots, e.g. Rubber • Select gloves tested to a relevant standard (e.g. Europe EN 374, US F739, AS/NZS 2161.1 or national equivalent). • When prolonged or frequently repeated contact may occur, a glove with a protection class of 5 or higher (breakthrough time greater than 240 minutes according to EN 374, AS/NZS 2161.10.1 or national equivalent) is recommended. • When only brief contact is expected, a glove with a protection class of 3 or higher (breakthrough time greater than 60 minutes according to EN 374, AS/NZS 2161.10.1 or national equivalent) is recommended
Body protection	<ul style="list-style-type: none"> • See Other protection below
Other protection	<ul style="list-style-type: none"> • Overalls. • PVC Apron. • PVC protective suit may be required if exposure severe. • Eyewash unit. • Ensure there is ready access to a safety shower. • For large scale or continuous use wear tight-weave non-static clothing (no metallic fasteners, cuffs or pockets). • Non sparking safety or conductive footwear

-
- Some plastic personal protective equipment (PPE) (e.g. gloves, aprons, overshoes) are not recommended as they may produce static electricity
-

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	CLEAR COLOURLESS LIQUID	Solubility (water)	SOLUBLE
Odour	SLIGHT ODOUR	Specific Gravity	0.887
pH	NOT AVAILABLE	% Volatiles	NOT AVAILABLE
Vapour Pressure	5.9 hPa @ 20°C	Flammability	HIGHLY FLAMMABLE
Vapour Density	NOT AVAILABLE	Flash Point	13°C
Boiling Point	78.3°C	Upper Explosion Limit	19 %
Melting Point	-130 to -114.1	Lower Explosion Limit	3.3 %
Evaporation Rate	2.53 BuAC = 1	Autoignition Temperature	365°C

10. STABILITY AND REACTIVITY

Material to Avoid Incompatible with oxidising agents (eg. hypochlorites, peroxides) and heat sources.
Decomposition May evolve toxic gases (carbon oxides, hydrocarbons) when heated to decomposition.

11. TOXICOLOGICAL INFORMATION

Health Hazard Summary Low Toxicity - irritant. No adverse health effects are anticipated with normal use of this product. This product is used in trace amounts as a food additive, however the concentrated product is not suitable for ingestion.

Eye Irritant. Exposure may result in lacrimation, irritation, pain and redness.

Inhalation Low irritant. Over exposure may result in mucous membrane irritation of the nose and throat with coughing.

Skin Irritant. May cause redness and irritation with prolonged contact.

Ingestion Non toxic when used in trace amounts as a food additive. However, the concentrate should not be consumed undiluted. Ingestion may cause gastrointestinal irritation, nausea, dizziness and CNS depression.

Toxicity Data ETHANOL (64-17-5)
LC50 (Inhalation): 2000 ppm/10 hours (rat)
LD50 (Ingestion): 3450 mg/kg (mouse)

12. ECOLOGICAL INFORMATION

Environment This product is not anticipated to cause adverse effects to animal or plant life if released to the environment in small quantities. Not expected to bioaccumulate.

Soil - Ethanol quickly biodegrades in soil but may leach into ground water; most is lost by evaporation. Ethanol is expected to have very high mobility in soil.

Atmosphere: Ethanol is expected to exist solely as a vapour in the ambient atmosphere.

DO NOT discharge into sewer or waterways

13. DISPOSAL CONSIDERATIONS

Waste Disposal No special precautions are required for the disposal of this product.
Legislation Dispose of in accordance with relevant local legislation.

14. TRANSPORT INFORMATION



CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE

NOT A MARINE POLLUTANT

Land Transport ADG

Shipping Name	ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)				
UN No.	1170	DG Class	3	Subsidiary Risk(s)	None Allocated
Pkg Group	II	Hazchem Code	●2YE	EPG	3A1
Limited Qty	1 ltr			Special Provisions	144

Maritime Transport IMDG

Shipping Name	ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)				
UN No.	1170	IMDG Class	3	Subsidiary Risk(s)	None Allocated
Pkg Group	II	Hazchem Code	●2YE	EMS Number	F- E, S- D
Limited Qty	1 ltr			Special Provisions	144

Air Transport (/ DGR)

Shipping Name	ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)				
UN No.	1170	ICAO-IATA Class	3	Subsidiary Risk(s)	None Allocated
Pkg Group	II	Hazchem Code	●2YE	ERG Code	3
Cargo Only	364	Cargo only max	60 L	P & C Limited Ins	Y341
Pass & Cargo	353	Pass & Cargo	5 L	P & C Limited Qty	1 ltr

15. REGULATORY INFORMATION

Poison Schedule A poison schedule number has not been allocated to this product using the criteria in the Standard for the Uniform Scheduling of Drugs and Poisons (SUSDP).

Regulatory Lists Australian Exposure Standards
 Australian Inventory of Chemical Substances (AICS).
 Australian Hazardous Substances Information System – Consolidated Lists

16. OTHER INFORMATION

Additional Information ABBREVIATIONS:
 mg/m³ - Milligrams per cubic metre
 ppm - Parts Per Million
 TWA/ES - Time Weighted Average or Exposure Standard.
 NOS - Not Otherwise Specified
 pH - relates to hydrogen ion concentration - this value will relate to a scale of 0 - 14, where 0 is highly acidic and 14 is highly alkaline.
 CAS# - Chemical Abstract Service number - to uniquely identify chemical compounds.
 PC – TWA: Permissible Concentration-Time Weighted Average
 PC – STEL: Permissible Concentration-Short Term Exposure Limit
 STEL: Short Term Exposure Limit
 TEEL: Temporary Emergency Exposure Limit.
 IDLH: Immediately Dangerous to Life or Health Concentrations
 OSF: Odour Safety Factor
 NOAEL :No Observed Adverse Effect Level
 LOAEL: Lowest Observed Adverse Effect Level
 TLV: Threshold Limit Value
 LOD: Limit Of Detection
 OTV: Odour Threshold Value
 BCF: BioConcentration Factors
 BEI: Biological Exposure Index

PERSONAL PROTECTIVE EQUIPMENT GUIDELINES:

The recommendation for protective equipment contained within is provided as a guide only. Factors such as method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

HEALTH EFFECTS FROM EXPOSURE:

It should be noted that the effects from exposure to this product will depend on several factors including: frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a Chem Alert report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.

All information given by Tarac Technologies Pty Ltd is offered in good faith and is true and accurate to the best of our knowledge. However, since conditions of use are beyond our control, all information relative to usage is offered without warranty or guarantee and should not be construed as a recommendation to use any of our products in breach of any provisions of any Federal or State Acts or Regulations.

In particular, the information contained herein should not be construed as a representation that the product is suitable for any particular purpose or application

End of Report