

## Safety Data Sheet

Issue Date: 1<sup>st</sup> Jan 2018

PRODUCT NAME: **TARAC BRANDY (37 %) - MINIMUM 2 YEARS IN WOOD**

### 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

**Product name:** TARAC BRANDY (37 %) - MINIMUM 2 YEARS IN WOOD  
**Chemical Name:** ethanol  
**Synonyms:** Tarac Brandy – 37%  
**Proper shipping name:** ALCOHOLIC BEVERAGE, with more than 24% but not more than 70% alcohol by volume  
**Chemical formula:** C<sub>2</sub>H<sub>6</sub>O  
**CAS number:** 64-17-5  
**Product Code:** MBT-00  
**Use(s):** Food and Beverage Industries, alcoholic beverages in suitable dilution;

#### Supplier of the Safety Data Sheet

**Supplier Name:** TARAC TECHNOLOGIES PTY LTD  
**Address:** Barossa Valley Way, PO Box 78, Nuriootpa, SA, AUSTRALIA, 5355  
**Telephone:** 08) 8568 6500  
**Fax:** 08) 8562 2031  
**Emergency:** 1800 606 911  
**Email:** info@tarac.com.au  
**Web Site:** http://www.tarac.com.au

### 2. HAZARDS IDENTIFICATION

CLASSIFIED AS HAZARDOUS ACCORDING TO NOHSC CRITERIA

CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE

<b>UN No.</b>	3065	<b>DG Class</b>	3	<b>Subsidiary Risk(s)</b>	None Allocated
<b>Pkg Group</b>	III	<b>Hazchem Code</b>	●2Y	<b>EPG</b>	3A1

**GHS Classification** Flammable liquids (Category 3)  
Eye irritation (Category 2A)



Flammable



Health hazards

**Signal Word** DANGER

**Hazard statements** H225 - Highly flammable liquid and vapour.  
H319 - Causes serious eye irritation

#### Precautionary Statements

**Prevention** P210 - Keep away from heat/sparks/open flames/hot surfaces.– No smoking.  
P233 - Keep container tightly closed.  
P240 - Ground/Bond container and receiving equipment  
P241 - Use explosion-proof electrical/ventilating/ lighting.../equipment.  
P242 - Use only non-sparking tools.

P243 - Take precautionary measures against static discharge.  
 P261 - Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.  
 P264 - Wash skin thoroughly after handling.  
 P270 - Do not eat, drink or smoke when using this product.  
 P271 - Use only outdoors or in a well-ventilated area.  
 P280 - Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response	P301 + P312	IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell
	P303 + P361 + P353	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
	P304 + P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
	P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P337 + P313	If eye irritation persists: Get medical advice/attention.
	P370 + P378	In case of fire: Use extinguishing media detailed in Section 5 for extinction.
Storage	P403 + P235 - Store in a well-ventilated place. Keep cool	
Disposal	P501 - Dispose of contents/container to hazardous or special waste collection point	

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

Ingredient	Formula	CAS No.	Content
ETHANOL	C2-H6-O	64-17-5	37% (+/- 1 %)
WATER	H2O	7732-18-5	63% (+/- 1 %)

### 4. FIRST AID MEASURES

#### Description of first aid measures

<b>Eye Contact</b>	<p>If this product comes in contact with the eyes:</p> <ul style="list-style-type: none"> <li>Wash out immediately with fresh running water</li> <li>Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids.</li> <li>Seek medical attention without delay; if pain persists or recurs seek medical attention.</li> <li>Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.</li> </ul>
<b>Skin Contact</b>	<p>If skin contact occurs</p> <ul style="list-style-type: none"> <li>Immediately remove all contaminated clothing, including footwear</li> <li>Flush skin and hair with running water (and soap if available)</li> <li>Seek medical attention in event of irritation</li> </ul>
<b>Inhalation</b>	<ul style="list-style-type: none"> <li>If fumes or combustion products are inhaled remove from contaminated area</li> <li>Lay patient down. Keep warm and rested</li> <li>Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures</li> <li>Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained. Perform CPR if necessary.</li> <li>Transport to hospital, or doctor.</li> </ul>
<b>Ingestion</b>	<ul style="list-style-type: none"> <li>If swallowed do NOT induce vomiting.</li> <li>If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration.</li> <li>Observe the patient carefully</li> <li>Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious</li> <li>Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink</li> <li>Seek medical advice.</li> </ul>

## 5. FIRE FIGHTING MEASURES

<b>Extinguishing media</b>	<ul style="list-style-type: none"> <li>Alcohol stable foam.</li> <li>Dry chemical powder.</li> <li>BCF (where regulations permit).</li> <li>Carbon dioxide.</li> <li>Water spray or fog - Large fires only</li> </ul>
<b>Flammability</b>	<ul style="list-style-type: none"> <li>Highly flammable.</li> <li>May evolve toxic gases (carbon oxides, hydrocarbons) when heated to decomposition.</li> <li>Do not expose to heat or ignition sources.</li> <li>Eliminate all ignition sources including cigarettes, open flames, spark producing switches/tools, heaters, naked lights, pilot lights, mobile phones etc.</li> <li>Earth containers when dispensing fluids</li> </ul>
<b>Fire Fighting</b>	<ul style="list-style-type: none"> <li>Highly flammable - explosive vapour.</li> <li>Evacuate area &amp; contact emergency services.</li> <li>Toxic gases (carbon oxides, hydrocarbons) may be evolved when heated.</li> <li>Remain upwind and notify those downwind of hazard.</li> <li>Wear full protective equipment including Self Contained Breathing Apparatus (SCBA) when combating fire.</li> <li>Use waterfog to cool intact containers and nearby storage areas</li> </ul>
<b>Hazchem Code</b>	<ul style="list-style-type: none"> <li>●2[Y]E</li> </ul>

## 6. ACCIDENTAL RELEASE MEASURES

<b>Minor Spills</b>	<ul style="list-style-type: none"> <li>Remove all ignition sources.</li> <li>Clean up all spills immediately.</li> <li>Avoid breathing vapours and contact with skin and eyes.</li> <li>Control personal contact with the substance, by using protective equipment.</li> <li>Contain and absorb small quantities with vermiculite or other absorbent material.</li> <li>Wipe up.</li> <li>Collect residues in a flammable waste container</li> </ul>
<b>Major Spills</b>	<ul style="list-style-type: none"> <li>Clear area of personnel and move upwind.</li> <li>Alert Fire Brigade and tell them location and nature of hazard.</li> <li>May be violently or explosively reactive.</li> <li>Wear breathing apparatus plus protective gloves.</li> <li>Prevent, by any means available, spillage from entering drains or water course.</li> <li>Consider evacuation (or protect in place).</li> <li>No smoking, naked lights or ignition sources</li> </ul>

## 7. STORAGE AND HANDLING

### Storage

<b>Suitable container</b>	<ul style="list-style-type: none"> <li>Plastic containers may only be used if approved for flammable liquid.</li> <li>Check that containers are clearly labelled and free from leaks.</li> <li>Where combination packages are used, and the inner packages are of glass, there must be sufficient inert cushioning material in contact with inner and outer packages</li> </ul>		
<b>Storage compatibility</b>	<b>DG Class</b>	<b>DG Desc</b>	<b>Compatibility</b>
	2.1	Flammable Gas	5 mtr separation
	2.2	Non-flammable, Non-toxic Gas	5 mtr separation
	2.3	Toxic Gas	5 mtr separation
	3	Flammable Liquid	✓
	4.1	Flammable Solid	5 mtr separation
	4.2	Spontaneously Combustible	fire rated partition
	4.3	Dangerous when Wet	separate bldg
	5.1	Oxidizing Agent	5 mtr separation
	5.2	Organic Peroxide	fire rated partition
6.1	Toxic	5 mtr separation	
8	Corrosive	✓	

	9	Miscellaneous Dangerous goods	✓
--	---	-------------------------------	---

## Handling

<b>Safe handling</b>	<ul style="list-style-type: none"> <li>• Containers, even those that have been emptied, may contain explosive vapours.</li> <li>• Do NOT cut, drill, grind, weld or perform similar operations on or near containers.</li> <li>• DO NOT allow clothing wet with material to stay in contact with skin</li> <li>• Avoid all personal contact, including inhalation.</li> <li>• Wear protective clothing when risk of exposure occurs.</li> <li>• Use in a well-ventilated area.</li> <li>• Prevent concentration in hollows and sumps.</li> <li>• DO NOT enter confined spaces until atmosphere has been checked.</li> <li>• Avoid smoking, naked lights, heat or ignition sources.</li> <li>• When handling, DO NOT eat, drink or smoke</li> </ul>
<b>Other information</b>	<ul style="list-style-type: none"> <li>• Store in original containers in approved flame-proof area.</li> <li>• No smoking, naked lights, heat or ignition sources.</li> <li>• DO NOT store in pits, depressions, basements or areas where vapours may be trapped.</li> <li>• Keep containers securely sealed.</li> <li>• Store away from incompatible materials in a cool, dry well ventilated area.</li> <li>• Protect containers against physical damage and check regularly for leaks.</li> <li>• Observe manufacturer's storage and handling recommendations contained within this SDS</li> </ul>

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### Occupational Exposure Limits

<b>Exposure Standards</b>	<ul style="list-style-type: none"> <li>• ETHANOL (64-17-5)</li> <li>• ES-TWA: 1000 ppm (1880 mg/m<sup>3</sup>)</li> <li>• WES-TWA: 1000 ppm (1880 mg/m<sup>3</sup>)</li> </ul>
---------------------------	--

### Exposure Controls

<b>Engineering Controls</b>	<ul style="list-style-type: none"> <li>• Ensure adequate natural ventilation.</li> <li>• Flammable/explosive vapours may accumulate in poorly ventilated areas.</li> <li>• Vapours are heavier than air and may travel some distance to an ignition source and flash back.</li> </ul>
-----------------------------	---

### Personal Protection

<b>Eye and face protection</b>	<ul style="list-style-type: none"> <li>• Safety glasses with side shields.</li> <li>• Chemical goggles.</li> <li>• Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants.</li> <li>• In the event of chemical exposure, begin eye irrigation immediately and remove contact lens as soon as practicable</li> </ul>
<b>Skin protection</b>	<ul style="list-style-type: none"> <li>• See Hand protection below</li> </ul>
<b>Hands/feet protection</b>	<ul style="list-style-type: none"> <li>• Wear chemical protective gloves, e.g. PVC.</li> <li>• Wear safety footwear or safety gumboots, e.g. Rubber</li> <li>• Select gloves tested to a relevant standard (e.g. Europe EN 374, US F739, AS/NZS 2161.1 or national equivalent).</li> <li>• When prolonged or frequently repeated contact may occur, a glove with a protection class of 5 or higher (breakthrough time greater than 240 minutes according to EN 374, AS/NZS 2161.10.1 or national equivalent) is recommended.</li> <li>• When only brief contact is expected, a glove with a protection class of 3 or higher (breakthrough time greater than 60 minutes according to EN 374, AS/NZS 2161.10.1 or national equivalent) is recommended</li> </ul>
<b>Body protection</b>	<ul style="list-style-type: none"> <li>• See Other protection below</li> </ul>
<b>Other protection</b>	<ul style="list-style-type: none"> <li>• Overalls.</li> <li>• PVC Apron.</li> <li>• PVC protective suit may be required if exposure severe.</li> <li>• Eyewash unit.</li> <li>• Ensure there is ready access to a safety shower.</li> <li>• For large scale or continuous use wear tight-weave non-static clothing (no metallic fasteners, cuffs or pockets).</li> <li>• Non sparking safety or conductive footwear</li> </ul>

- 
- Some plastic personal protective equipment (PPE) (e.g. gloves, aprons, overshoes) are not recommended as they may produce static electricity
- 

---

## 9. PHYSICAL AND CHEMICAL PROPERTIES

---

<b>Appearance</b>	CLEAR COLOURLESS LIQUID	<b>Solubility (water)</b>	SOLUBLE
<b>Odour</b>	SLIGHT ODOUR	<b>Specific Gravity</b>	≤ 0.9529
<b>pH</b>	NOT AVAILABLE	<b>% Volatiles</b>	NOT AVAILABLE
<b>Vapour Pressure</b>	5.9 hPa @ 20°C	<b>Flammability</b>	HIGHLY FLAMMABLE
<b>Vapour Density</b>	NOT AVAILABLE	<b>Flash Point</b>	13°C
<b>Boiling Point</b>	78.3°C	<b>Upper Explosion Limit</b>	19 %
<b>Melting Point</b>	-130 to -114.1	<b>Lower Explosion Limit</b>	3.3 %
<b>Evaporation Rate</b>	2.53 BuAC = 1	<b>Autoignition Temperature</b>	365°C

---

## 10. STABILITY AND REACTIVITY

---

**Material to Avoid** Incompatible with oxidising agents (eg. hypochlorites, peroxides) and heat sources.  
**Decomposition** May evolve toxic gases (carbon oxides, hydrocarbons) when heated to decomposition.

---

## 11. TOXICOLOGICAL INFORMATION

---

**Health Hazard Summary** Low Toxicity - irritant. No adverse health effects are anticipated with normal use of this product. This product is used in trace amounts as a food additive, however the concentrated product is not suitable for ingestion.

**Eye** Irritant. Exposure may result in lacrimation, irritation, pain and redness.

**Inhalation** Low irritant. Over exposure may result in mucous membrane irritation of the nose and throat with coughing.

**Skin** Irritant. May cause redness and irritation with prolonged contact.

**Ingestion** Non toxic when used in trace amounts as a food additive. However, the concentrate should not be consumed undiluted. Ingestion may cause gastrointestinal irritation, nausea, dizziness and CNS depression.

**Toxicity Data** ETHANOL (64-17-5)  
LC50 (Inhalation): 2000 ppm/10 hours (rat)  
LD50 (Ingestion): 3450 mg/kg (mouse)

---

## 12. ECOLOGICAL INFORMATION

---

**Environment** This product is not anticipated to cause adverse effects to animal or plant life if released to the environment in small quantities. Not expected to bioaccumulate.

Soil - Ethanol quickly biodegrades in soil but may leach into ground water; most is lost by evaporation. Ethanol is expected to have very high mobility in soil.

Atmosphere: Ethanol is expected to exist solely as a vapour in the ambient atmosphere.

DO NOT discharge into sewer or waterways

---

## 13. DISPOSAL CONSIDERATIONS

---

**Waste Disposal** No special precautions are required for the disposal of this product.  
**Legislation** Dispose of in accordance with relevant local legislation.

---

## 14. TRANSPORT INFORMATION

---



CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE

NOT A MARINE POLLUTANT

**Land Transport ADG**

<b>Shipping Name</b>	ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)				
<b>UN No.</b>	3065	<b>DG Class</b>	3	<b>Subsidiary Risk(s)</b>	None Allocated
<b>Pkg Group</b>	III	<b>Hazchem Code</b>	●2Y	<b>EPG</b>	3A1
<b>Limited Qty</b>	1 ltr			<b>Special Provisions</b>	144

**Maritime Transport IMDG**

<b>Shipping Name</b>	ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)				
<b>UN No.</b>	3065	<b>IMDG Class</b>	3	<b>Subsidiary Risk(s)</b>	None Allocated
<b>Pkg Group</b>	III	<b>Hazchem Code</b>	●2Y	<b>EMS Number</b>	F- E, S- D
<b>Limited Qty</b>	1 ltr			<b>Special Provisions</b>	144

**Air Transport (/ DGR)**

<b>Shipping Name</b>	ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)				
<b>UN No.</b>	3065	<b>ICAO-IATA Class</b>	3	<b>Subsidiary Risk(s)</b>	None Allocated
<b>Pkg Group</b>	III	<b>Hazchem Code</b>	●2Y	<b>ERG Code</b>	3
<b>Cargo Only</b>	364	<b>Cargo only max</b>	60 L	<b>P &amp; C Limited Ins</b>	Y341
<b>Pass &amp; Cargo</b>	353	<b>Pass &amp; Cargo</b>	5 L	<b>P &amp; C Limited Qty</b>	1 ltr

---

## 15. REGULATORY INFORMATION

---

**Poison Schedule** A poison schedule number has not been allocated to this product using the criteria in the Standard for the Uniform Scheduling of Drugs and Poisons (SUSDP).

**Regulatory Lists** Australian Exposure Standards  
 Australian Inventory of Chemical Substances (AICS).  
 Australian Hazardous Substances Information System – Consolidated Lists

---

## 16. OTHER INFORMATION

---

**Additional Information** ABBREVIATIONS:  
 mg/m<sup>3</sup> - Milligrams per cubic metre  
 ppm - Parts Per Million  
 TWA/ES - Time Weighted Average or Exposure Standard.  
 NOS - Not Otherwise Specified  
 pH - relates to hydrogen ion concentration - this value will relate to a scale of 0 - 14, where 0 is highly acidic and 14 is highly alkaline.  
 CAS# - Chemical Abstract Service number - to uniquely identify chemical compounds.  
 PC – TWA: Permissible Concentration-Time Weighted Average  
 PC – STEL: Permissible Concentration-Short Term Exposure Limit  
 STEL: Short Term Exposure Limit  
 TEEL: Temporary Emergency Exposure Limit.  
 IDLH: Immediately Dangerous to Life or Health Concentrations  
 OSF: Odour Safety Factor  
 NOAEL :No Observed Adverse Effect Level  
 LOAEL: Lowest Observed Adverse Effect Level  
 TLV: Threshold Limit Value  
 LOD: Limit Of Detection  
 OTV: Odour Threshold Value  
 BCF: BioConcentration Factors  
 BEI: Biological Exposure Index

PERSONAL PROTECTIVE EQUIPMENT GUIDELINES:

The recommendation for protective equipment contained within is provided as a guide only. Factors such as method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

#### HEALTH EFFECTS FROM EXPOSURE:

It should be noted that the effects from exposure to this product will depend on several factors including: frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a Chem Alert report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.

*All information given by Tarac Technologies Pty Ltd is offered in good faith and is true and accurate to the best of our knowledge. However, since conditions of use are beyond our control, all information relative to usage is offered without warranty or guarantee and should not be construed as a recommendation to use any of our products in breach of any provisions of any Federal or State Acts or Regulations.*

*In particular, the information contained herein should not be construed as a representation that the product is suitable for any particular purpose or application*

**End of Report**